

```

<style>
    .button1, .button2, .button {
    border-top: 1px solid #96d1f8;
    background: #65a9d7;
    background: -webkit-gradient(linear, left top, left bottom, from(#3e779d), to(#65a9d7));
    background: -webkit-linear-gradient(top, #3e779d, #65a9d7);
    background: -moz-linear-gradient(top, #3e779d, #65a9d7);
    background: -ms-linear-gradient(top, #3e779d, #65a9d7);
    background: -o-linear-gradient(top, #3e779d, #65a9d7);
    padding: 15.5px 31px;
    -webkit-border-radius: 12px;
    -moz-border-radius: 12px;
    border-radius: 12px;
    -webkit-box-shadow: rgba(0,0,0,1) 0 1px 0;
    -moz-box-shadow: rgba(0,0,0,1) 0 1px 0;
    box-shadow: rgba(0,0,0,1) 0 1px 0;
    text-shadow: rgba(0,0,0,.4) 0 1px 0;
    color: white;
    font-size: 24px;
    font-family: 'Lucida Grande', Helvetica, Arial, Sans-Serif;
    text-decoration: none;
    vertical-align: middle;
    }
.button:hover {
    border-top-color: #28597a;
    background: #28597a;
    color: #b5b5b5;
    }
.button:active {
    border-top-color: #1b435e;
    background: #1b435e;
    }
</style>
<?php

```

```

$verz="1.0";
$comPort = "/dev/ttyACM2"; /*change to correct com port */

```

```

if (isset($_POST["rcmd"])) {
$rcmd = $_POST["rcmd"];
switch ($rcmd) {
    case Down:
        $fp =fopen($comPort, "w");
        fwrite($fp, 1); /* this is the number that it will write */
        fclose($fp);
        break;
    case Up:
        $fp =fopen($comPort, "w");

```

```

fwrite($fp, 2); /* this is the number that it will write */
fclose($fp);
break;
case Start:
    $fp =fopen($comPort, "w");
fwrite($fp, 3); /* this is the number that it will write */
fclose($fp);
break;
default:
    die('Crap, something went wrong. The page just puked.');
```

```

}
```

```

}
```

```

?>
```

```

<html>
```

```

<body>
```

```

<center><h1>Arduino</h1><b>by Mang Tani</b></center>
```

```

<br>
```

```

<center>
```

```

<form method="post" action="<?php echo $PHP_SELF;?>">
```

```

    <input type="submit" value="Down" name="rcmd" class="button">
```

```

    <input type="submit" value="Up" name="rcmd" class="button">
```

```

    <input type="submit" value="Start" name="rcmd" class="button">
```

```

<br>
```

```

<br>
```

```

<br>
```

```

<?php
```

```

    if(isset($_POST['rcmd']))
```

```

    {
```

```

        $action = $_POST['rcmd'];
```

```

        if($action == 'Down')
```

```

        {
```

```

            echo "Temp goes down!";
```

```

        }
```

```

        if($action == 'Up')
```

```

        {
```

```

            echo "Temp goes Up!";
```

```

        }
```

```

        if($action == 'Start')
```

```

        {
```

```

            echo "Yeah!";
```

```

        }
```

```

    }
```

```

?>
```

```

</form>
```

```

</center>
```

```

<script src="jquery-1.11.0.js"></script>
```

```

</body>
```

</html>